

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2126	(server or gateway) with (encrypt\$3 or encipher\$3) with ((secret or private) adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27
L2	953	L1 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27
L3	453	L2 and ((public or asymmetric) with (secret or symmetric))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27
L4	152	L3 and (forward\$3 with (email or "e-mail" or message or data or information))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27
L5	1808	380/281,277-279.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27
L6	1296	L5 and @ad<"20020606"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27
L7	10	L4 and L6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27
L8	386	"digital envelope"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27

EAST Search History

L9	10	L8 and L5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27
L10	1964	(server or gateway) with (multiple or plural\$3) with (receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27
L11	12	L10 and L6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27
L12	8216	(email or "e-mail" or (electronic with (message or mail))) with distribut\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27
L13	354	L12 and (server with (public or asymmetric) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27
L14	183	L13 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27
L15	1226	L5 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27
L16	10	L4 and L15	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:27

EAST Search History

L17	11	L10 and L15	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L18	22	L14 and L15	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L19	261	380/281.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L20	213	L19 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L21	49	L20 and (((public or asymmetric) with (secret or symmetric or common)) adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L22	5	L21 and (encrypt\$3 or encihper\$3) with (email or "e-mail")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L23	18558	(server or gateway) with (forward\$3) with (mail or message or data or information)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L24	5	L23 and L20	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28

EAST Search History

L25	9280	L23 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L26	3016	L25 and ((distribut\$3 with (server or gateway))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L27	356	L26 and ((encrypt\$2 or encipher\$2) with (message or mail))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L28	316	L27 and (public or asymmetric)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L29	287	L28 and ((forward\$3) with (data or message or mail))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L30	287	L28 and ((forward\$3 or relay\$3) with (data or message or mail))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L31	15599	\$2mail adj server	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L32	7153	L31 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28

EAST Search History

L33	1047	L32 and ((public or asymmetric) with server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L34	341	L33 and (server with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L35	215	713/178.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L36	161	L35 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L37	2	L10 and L36	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L38	5	"secure distribution server"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L39	1	L38 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L40	5509	380/277-285,255,259-260.ccls. or 713/178,150-153,189.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28

EAST Search History

L41	3349	L40 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L42	72255	(encrypt\$3 or encipher\$3 or cryptograph\$7) with ((e adj1 mail) or packet or data or information)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L43	3805	L42 and (server with (public adj1 key))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L44	2436	L43 and (server with (forward or get\$4 or receiv\$3) with ((e adj1 mail) or data or packet or information or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L45	2168	L44 and ((private or secret) adj1 key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L46	1846	L45 and ((decipher\$3 or decrypt\$3) with (key))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L47	222	L41 and L46	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L48	111	L47 and (key with associat\$3 with server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28

EAST Search History

L49	67	L48 and (server with distribut\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L50	64	L49 and (server with (receiv\$3) with ((e adj1 mail) or data or packet or information or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L51	109	380/284.ccls. and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L52	12	L51 and L43	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
L53	7	("6912656" or "5832208" or "20020091928").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 13:28
S5	1552	(server or gateway) with (encrypt\$3 or encipher\$3) with ((secret or private) adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:44
S6	827	S5 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:45
S7	382	S6 and ((public or asymmetric) with (secret or symmetric))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:23

EAST Search History

S8	122	S7 and (forward\$3 with (email or "e-mail" or message or data or information))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:47
S9	1458	380/281,277-279.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:47
S10	1100	S9 and @ad<"20020606"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:47
S11	7	S8 and S10	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:53
S12	343	"digital envelope"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:53
S13	9	S12 and S9	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:55
S14	1439	(server or gateway) with (multiple or plural\$3) with (receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:55
S15	11	S14 and S10	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:12

EAST Search History

S16	6220	(email or "e-mail" or (electronic with (message or mail))) with distribut\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:13
S17	256	S16 and (server with (public or asymmetric) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:13
S18	153	S17 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:13
S19	1043	S9 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:14
S20	7	S8 and S19	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:15
S21	10	S14 and S19	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:15
S22	16	S18 and S19	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:22
S23	210	380/281.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:22

EAST Search History

S24	181	S23 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:23
S25	39	S24 and (((public or asymmetric) with (secret or symmetric or common)) adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:25
S26	4	S25 and (encrypt\$3 or encihper\$3) with (email or "e-mail")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:27
S27	13948	(server or gateway) with (forward\$3) with (mail or message or data or information)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:30
S28	3	S27 and S24	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:28
S29	8331	S27 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:30
S30	2665	S29 and (distribut\$3 with (server or gateway))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:31
S31	316	S30 and ((encrypt\$2 or encipher\$2) with (message or mail))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:32

EAST Search History

S32	280	S31 and (public or asymmetric)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:33
S33	255	S32 and ((forward\$3) with (data or message or mail))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:40
S34	255	S32 and ((forward\$3 or relay\$3) with (data or message or mail))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:34
S35	11675	\$2mail adj server	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:40
S36	6447	S35 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:40
S37	931	S36 and ((public or asymmetric) with server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:42
S38	296	S37 and (server with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:52
S39	168	713/178.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:52

EAST Search History

S40	139	S39 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:53
S41	1	S14 and S40	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:53
S42	5	"secure distribution server"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:56
S43	1	S42 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:56
S44	4825	380/277-285,255,259-260.ccls. or 713/178,150-153,189.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:49
S45	3059	S44 and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:50
S46	62774	(encrypt\$3 or encipher\$3 or cryptograph\$7) with ((e adj1 mail) or packet or data or information)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:51
S47	3240	S46 and (server with (public adj1 key))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:51

EAST Search History

S48	2069	S47 and (server with (forward or get\$4 or receiv\$3) with ((e adj1 mail) or data or packet or information or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:56
S49	1842	S48 and ((private or secret) adj1 key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:53
S50	1567	S49 and ((decipher\$3 or decrypt\$3) with (key))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:54
S51	191	S45 and S50	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:54
S52	99	S51 and (key with associat\$3 with server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:54
S53	60	S52 and (server with distribut\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:55
S54	57	S53 and (server with (receiv\$3) with ((e adj1 mail) or data or packet or information or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:17
S55	94	380/284.ccls. and @ad<"20020306"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:18

EAST Search History

S57	10	S55 and S47	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:18
S58	7	("6912656" or "5832208" or "20020091928").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 17:35